

---

**Two What, Two Where, Visual Cortical Streams in Humans****Supplementary Material**

Neuroscience and Biobehavioral Reviews (2024) 160: 105650  
doi: <https://doi.org/10.1016/j.neubiorev.2024.105650>

Edmund T. Rolls<sup>1,2,3</sup>

1. Oxford Centre for Computational Neuroscience, Oxford, UK
2. Department of Computer Science, University of Warwick, Coventry, CV4 7AL, UK
3. Institute of Science and Technology for Brain Inspired Intelligence, Fudan University, Shanghai 200403, China

\*Corresponding author information:

Professor Edmund T. Rolls,  
Department of Computer Science, University of Warwick, Coventry CV4 7AL, UK.  
Email: [Edmund.Rolls@oxcns.org](mailto:Edmund.Rolls@oxcns.org)  
URL: <https://www.ocxns.org>  
<https://orcid.org/0000-0003-3025-1292>

---

### The methods used to investigate cortical connectivity

The methods used to trace the pathways described in this paper include diffusion tractography (Huang et al., 2021), functional connectivity, and effective connectivity (Ma et al., 2022; Rolls et al., 2022a; Rolls et al., 2022b; Rolls et al., 2023a; Rolls et al., 2023b; Rolls et al., 2023d) performed on 7T structural and functional MRI data from the same set of 171 Human Connectome Project participants, and magnetoencephalography (Rolls et al., 2023c) performed on 88 participants in the Human Connectome project (Larson-Prior et al., 2013). Diffusion topography measures the direct anatomical pathways between brain regions and not the direction, does not provide evidence about the direction of the connections, and is usefully complemented in the above research by functional and effective connectivity as diffusion tractography may sometimes make false positives where pathways cross, and may miss some especially long pathways. Functional connectivity is measured by the Pearson correlation between the BOLD signals in a pair of cortical regions, may reflect indirect interactions and common input, and does not provide evidence about the direction of any effect. A high functional connectivity does though reflect how much a pair of brain regions is interacting, and does reflect function in that it is different between the resting state and the performance of tasks. Resting state connectivity was used in the investigations described here, as it may provide a basic connectivity matrix that can be investigated even if participants may not be able to perform a particular task, as in some mental disorders. Effective connectivity aims to measure how much two brain regions influence each other in each direction, and utilises time delays to estimate what are sometimes described as causal effects. Effective connectivity is especially important to measure between cortical regions, for at least in cortical hierarchies the anatomy is asymmetric, with typically cortical layers 2 and 3 projecting forward up the hierarchy to layers 2 and 3 in the next cortical region, whereas the backprojections tend to originate in the deeper cortical layers, and project back to layer 1 of the preceding cortical region to terminate on the apical dendrites of cortical pyramidal cells, and may accordingly have weaker effects that can be shunted by bottom-up forward inputs (Markov et al., 2013; Markov and Kennedy, 2013; Markov et al., 2014; Rolls, 2016, 2023). The effective connectivity that we have measured is described as whole brain generative effective connectivity, in that it is the effective connectivity matrix that can generate the functional connectivity and the delayed functional connectivity (2 s for fMRI, 20 ms for MEG) between all 360 cortical regions, and uses a Hopf algorithm based in a model of cortical connectivity based on interacting Stuart-Landau oscillators (Deco et al., 2019; Rolls et al., 2022b; Deco et al., 2023; Rolls et al., 2023c).

### Use of the Human Connectome Project Multimodal Parcellation atlas, HCP-MMP1

A highlight of the methods used in some of the research described in this paper is that the connectivity between cortical regions is described using the Human Connectome project multimodal parcellation of the human cerebral cortex based on anatomy (cortical myelin and thickness), functional connectivity, and task-related fMRI (Glasser et al., 2016). This leads to the definition of 180 cortical regions in each hemisphere, which are the best estimates at present of cortical regions that differ sufficiently from each other to provide a foundation for understanding the computational functions of each cortical region, how they are connected, and the information flow between them (Rolls, 2023). Moreover, many of these cortical regions have corresponding regions in macaques especially for visual cortical regions, enabling evidence from macaques to be brought to bear on the understanding of different cortical regions in humans (Rolls, 2023). The names of these regions in the revised order used by Huang, Rolls et al (2022) and their cortical divisions are shown in Table S1, with views of the brain with the HCP-MMP regions labelled, and coronal slices, provided in Fig. S1. All the analyses described here were performed with the data mapped to the surface version of the HCP-MMP1 atlas (Glasser et

---

al., 2016), as that can provided more accurate localization of cortical regions, though the extended version of the HCP-MMP1 atlas can also be useful, as it adds 66 subcortical regions, and can be used with volumetric data (Huang et al., 2022).

### Modified ordering of the HCP-MMP atlas

The atlas used to define brain regions was the HCP-MMP surface-based atlas (Glasser et al., 2016), is illustrated in Fig. S1. In the HCP-MMP atlas, each region has its RegionID, which we show in Table S1. Detailed information about the regions is available in the Supplementary Material File NIHMS68870-supplement-Neuroanatomical\_Supplementary\_Results.pdf provided by Glasser et al (2016). In that Supplementary Material file, a grouping of the regions is suggested based on geographic proximity and functional similarities, and this grouping is shown in the column labelled CortexID in Table S1. That has led to a different ordering of the regions, which we show in Table S1, with the original regionIDs from the HCP atlas shown in the column headed ‘regionID’. This reordered version of the HCP-MMP atlas is described by Dr Dianne Patterson of the University of Arizona at <https://neuroimaging-core-docs.readthedocs.io/en/latest/pages/atlas.html>, where the following supporting files used to help generate Table S1 are available: HCP-MMP\_UniqueRegionList.csv and Glasser\_2016\_Table.xlsx. We made file HCPMMP\_CortexID\_Ordering.xlsx from this, and this is available from the present authors. The connectivity matrices shown in the present paper used the ordering shown in Table S1, which is also used in the volumetric and extended form of this atlas (Huang et al., 2022).

**Table S1.** Regions defined in the modified Human Connectome Project atlas (Glasser et al., 2016). L=left hemisphere, R=right. The column ‘Reordered region ID’ is that used in Figs. 1–5, and is a reordering of that based on suggestions in the Supplementary Information of Glasser et al (2016). In that Supplementary Information of that paper, the 360 regions are grouped based on geographic proximity and functional similarities, which was reorganized and provided by Dr Dianne Patterson of the University of Arizona at <https://neuroimaging-core-docs.readthedocs.io/en/latest/pages/atlas.html> with the HCP-MMP\_UniqueRegionList.csv and is shown in the column labelled CortexID in Table S1. The volumes are in mm<sup>3</sup>. This modified atlas with the reordering is described elsewhere (Huang et al., 2022).

Reordered ID (L, R)	Region	RegionLongName	Cortical Division	Cortex ID	Original ID	Voxel numbers (1mm <sup>3</sup> ) (L,R)
1, 181	V1	Primary_Visual_Cortex	Primary_Visual	1	1	13812, 13406
2, 182	V2	Second_Visual_Area	Early_Visual	2	4	9515, 9420
3, 183	V3	Third_Visual_Area	Early_Visual	2	5	7106, 7481
4, 184	V4	Fourth_Visual_Area	Early_Visual	2	6	4782, 4537
5, 185	IPS1	IntraParietal_Sulcus_Area_1	Dorsal_Stream_Visual	3	17	1751, 1750
6, 186	V3A	Area_V3A	Dorsal_Stream_Visual	3	13	2191, 2212
7, 187	V3B	Area_V3B	Dorsal_Stream_Visual	3	19	639, 731
8, 188	V6	Sixth_Visual_Area	Dorsal_Stream_Visual	3	3	1402, 1559
9, 189	V6A	Area_V6A	Dorsal_Stream_Visual	3	152	904, 734
10, 190	V7	Seventh_Visual_Area	Dorsal_Stream_Visual	3	16	1005, 1041
11, 191	FFC	Fusiform_Face_Complex	Ventral_Stream_Visual	4	18	3848, 4402
12, 192	PIT	Posterior_InferoTemporal_complex	Ventral_Stream_Visual	4	22	1392, 1386
13, 193	V8	Eighth_Visual_Area	Ventral_Stream_Visual	4	7	1361, 1175
14, 194	VMV1	VentroMedial_Visual_Area_1	Ventral_Stream_Visual	4	153	939, 1219
15, 195	VMV2	VentroMedial_Visual_Area_2	Ventral_Stream_Visual	4	160	639, 923
16, 196	VMV3	VentroMedial_Visual_Area_3	Ventral_Stream_Visual	4	154	941, 1242
17, 197	VVC	Ventral_Visual_Complex	Ventral_Stream_Visual	4	163	2487, 2753
18, 198	FST	Area_FST	MT+_Complex	5	157	1324, 1683
19, 199	LO1	Area_Lateral_Occipital_1	MT+_Complex	5	20	619, 909
20, 200	LO2	Area_Lateral_Occipital_2	MT+_Complex	5	21	1179, 1062
21, 201	LO3	Area_Lateral_Occipital_3	MT+_Complex	5	159	438, 915
22, 202	MST	Medial_Superior_Temporal_Area	MT+_Complex	5	2	794, 1036
23, 203	MT	Middle_Temporal_Area	MT+_Complex	5	23	620, 1005
24, 204	PH	Area_PH	MT+_Complex	5	138	3453, 3205
25, 205	V3CD	Area_V3CD	MT+_Complex	5	158	876, 1222
26, 206	V4t	Area_V4t	MT+_Complex	5	156	1037, 1249
27, 207	1	Area_1	SomaSens_Motor	6	51	6590, 5925
28, 208	2	Area_2	SomaSens_Motor	6	52	4278, 4727
29, 209	3a	Area_3a	SomaSens_Motor	6	53	2247, 2286
30, 210	3b	Primary_Sensory_Cortex	SomaSens_Motor	6	9	5451, 4350
31, 211	4	Primary_Motor_Cortex	SomaSens_Motor	6	8	10776, 10254
32, 212	23c	Area_23c	ParaCentral_MidCing	7	38	2259, 2498
33, 213	24dd	Dorsal_Area_24d	ParaCentral_MidCing	7	40	2665, 2820
34, 214	24dv	Ventral_Area_24d	ParaCentral_MidCing	7	41	1076, 1349
35, 215	5L	Area_5L	ParaCentral_MidCing	7	39	2249, 2327
36, 216	5m	Area_5m	ParaCentral_MidCing	7	36	1483, 2079

37, 217	5mv	Area_5m_ventral	ParaCentral_MidCing	7	37	1651, 1996
38, 218	6ma	Area_6m_anterior	ParaCentral_MidCing	7	44	3941, 4251
39, 219	6mp	Area_6mp	ParaCentral_MidCing	7	55	3701, 3105
40, 220	SCEF	Supplementary_and_Cingulate_Eye_Field	ParaCentral_MidCing	7	43	3500, 3371
41, 221	55b	Area_55b	Premotor	8	12	2422, 1537
42, 222	6a	Area_6_anterior	Premotor	8	96	4233, 3752
43, 223	6d	Dorsal_area_6	Premotor	8	54	2916, 2909
44, 224	6r	Rostral_Area_6	Premotor	8	78	3029, 3981
45, 225	6v	Ventral_Area_6	Premotor	8	56	2075, 2516
46, 226	FEF	Frontal_Eye_Fields	Premotor	8	10	1787, 1889
47, 227	PEF	Premotor_Eye_Field	Premotor	8	11	1006, 1258
48, 228	43	Area_43	Posterior_Opercular	9	99	1889, 1678
49, 229	FOP1	Frontal_Opercular_Area_1	Posterior_Opercular	9	113	879, 932
50, 230	OP1	Area_OP1-SII	Posterior_Opercular	9	101	1275, 1072
51, 231	OP2-3	Area_OP2-3-VS	Posterior_Opercular	9	102	943, 792
52, 232	OP4	Area_OP4-PV	Posterior_Opercular	9	100	2332, 2409
53, 233	52	Area_52	Early_Auditory	10	103	725, 580
54, 234	A1	Primary_Auditory_Cortex	Early_Auditory	10	24	1023, 796
55, 235	LBelt	Lateral_Belt_Complex	Early_Auditory	10	174	820, 901
56, 236	MBelt	Medial_Belt_Complex	Early_Auditory	10	173	1242, 1236
57, 237	PBelt	ParaBelt_Complex	Early_Auditory	10	124	1719, 1439
58, 238	PFcm	Area_PFcm	Early_Auditory	10	105	1486, 1485
59, 239	RI	RetroInsular_Cortex	Early_Auditory	10	104	1149, 1334
60, 240	A4	Auditory_4_Complex	Auditory_Association	11	175	3514, 3610
61, 241	A5	Auditory_5_Complex	Auditory_Association	11	125	3346, 3881
62, 242	STGa	Area_STGa	Auditory_Association	11	123	2509, 2187
63, 243	STSda	Area_STSd_anterior	Auditory_Association	11	128	1944, 2389
64, 244	STSdp	Area_STSd_posterior	Auditory_Association	11	129	1994, 2605
65, 245	STSva	Area_STSv_anterior	Auditory_Association	11	176	1694, 1900
66, 246	STSvp	Area_STSv_posterior	Auditory_Association	11	130	2898, 2515
67, 247	TA2	Area_TA2	Auditory_Association	11	107	1518, 1726
68, 248	AAIC	Anterior_Agranular_Insula_Complex	Insula_FrontalOperc	12	112	1859, 1691
69, 249	AVI	Anterior_Ventral_Insular_Area	Insula_FrontalOperc	12	111	1446, 1792
70, 250	FOP2	Frontal_Opercular_Area_2	Insula_FrontalOperc	12	115	750, 720
71, 251	FOP3	Frontal_Opercular_Area_3	Insula_FrontalOperc	12	114	754, 614
72, 252	FOP4	Frontal_Opercular_Area_4	Insula_FrontalOperc	12	108	2522, 1678
73, 253	FOP5	Area_Frontal_Opercular_5	Insula_FrontalOperc	12	169	1297, 1365
74, 254	Ig	Insular_Granular_Complex	Insula_FrontalOperc	12	168	841, 1077
75, 255	MI	Middle_Insular_Area	Insula_FrontalOperc	12	109	2102, 1960
76, 256	PI	Para-Insular_Area	Insula_FrontalOperc	12	178	1033, 1058
77, 257	Pir	Piriform_Cortex	Insula_FrontalOperc	12	110	2287, 1856
78, 258	PoI1	Area_Posterior_Insular_1	Insula_FrontalOperc	12	167	1811, 1835
79, 259	PoI2	Posterior_Insular_Area_2	Insula_FrontalOperc	12	106	2747, 2675
80, 260	H	Hippocampus	Medial_Temporal	13	120	4283, 3626
81, 261	PreS	PreSubiculum	Medial_Temporal	13	119	1817, 1558
82, 262	EC	Entorhinal_Cortex	Medial_Temporal	13	118	2127, 2110
83, 263	PeEc	Perirhinal_Ectorhinal_Cortex	Medial_Temporal	13	122	4826, 4755

84, 264	TF	Area_TF	Medial_Temporal	13	135	3986, 4752
85, 265	PHA1	ParaHippocampal_Area_1	Medial_Temporal	13	126	1281, 1168
86, 266	PHA2	ParaHippocampal_Area_2	Medial_Temporal	13	155	783, 771
87, 267	PHA3	ParaHippocampal_Area_3	Medial_Temporal	13	127	2023, 1122
88, 268	PHT	Area_PHT	Lateral_Temporal	14	137	4182, 3410
89, 269	TE1a	Area_TE1_anterior	Lateral_Temporal	14	132	5227, 4180
90, 270	TE1m	Area_TE1_Middle	Lateral_Temporal	14	177	3339, 3429
91, 271	TE1p	Area_TE1_posterior	Lateral_Temporal	14	133	7116, 6010
92, 272	TE2a	Area_TE2_anterior	Lateral_Temporal	14	134	5691, 5753
93, 273	TE2p	Area_TE2_posterior	Lateral_Temporal	14	136	4115, 3040
94, 274	TGd	Area_TG_dorsal	Lateral_Temporal	14	131	10192, 10269
95, 275	TGv	Area_TG_Ventral	Lateral_Temporal	14	172	3694, 4515
96, 276	PSL	PeriSylvian_Language_Area	TPO	15	25	2154, 2759
97, 277	STV	Superior_Temporal_Visual_Area	TPO	15	28	2322, 2294
98, 278	TPOJ1	Area_TempoParietoOccipital_Junction_1	TPO	15	139	2102, 3938
99, 279	TPOJ2	Area_TempoParietoOccipital_Junction_2	TPO	15	140	1930, 2068
100, 280	TPOJ3	Area_TempoParietoOccipital_Junction_3	TPO	15	141	1290, 1277
101, 281	7AL	Lateral_Area_7A	Superior_Parietal	16	42	2134, 2030
102, 282	7Am	Medial_Area_7A	Superior_Parietal	16	45	2995, 2379
103, 283	7PC	Area_7PC	Superior_Parietal	16	47	3151, 3415
104, 284	7PL	Lateral_Area_7P	Superior_Parietal	16	46	1695, 1363
105, 285	7Pm	Medial_Area_7P	Superior_Parietal	16	29	1601, 1308
106, 286	AIP	Anterior_IntraParietal_Area	Superior_Parietal	16	117	1999, 2542
107, 287	LIPd	Area_Lateral_IntraParietal_dorsal	Superior_Parietal	16	95	1008, 869
108, 288	LIPv	Area_Lateral_IntraParietal_ventral	Superior_Parietal	16	48	1681, 1783
109, 289	MIP	Medial_IntraParietal_Area	Superior_Parietal	16	50	1872, 2403
110, 290	VIP	Ventral_IntraParietal_Complex	Superior_Parietal	16	49	1890, 1577
111, 291	IP0	Area_IntraParietal_0	Inferior_Parietal	17	146	1203, 1239
112, 292	IP1	Area_IntraParietal_1	Inferior_Parietal	17	145	1692, 1632
113, 293	IP2	Area_IntraParietal_2	Inferior_Parietal	17	144	2102, 1861
114, 294	PF	Area_PF_Complex	Inferior_Parietal	17	148	5457, 5251
115, 295	PFm	Area_PFm_Complex	Inferior_Parietal	17	149	8220, 8141
116, 296	PFop	Area_PF_Opercular	Inferior_Parietal	17	147	1797, 1783
117, 297	PFt	Area_PFT	Inferior_Parietal	17	116	1983, 2039
118, 298	PGi	Area_PGi	Inferior_Parietal	17	150	4791, 4970
119, 299	PGp	Area_PGp	Inferior_Parietal	17	143	2501, 3740
120, 300	PGs	Area_PGs	Inferior_Parietal	17	151	4552, 3366
121, 301	23d	Area_23d	Posterior_Cingulate	18	32	1261, 1513
122, 302	31a	Area_31a	Posterior_Cingulate	18	162	1260, 1116
123, 303	31pd	Area_31pd	Posterior_Cingulate	18	161	1428, 864
124, 304	31pv	Area_31p_ventral	Posterior_Cingulate	18	35	950, 1022
125, 305	7m	Area_7m	Posterior_Cingulate	18	30	2128, 2067
126, 306	d23ab	Area_dorsal_23_a+b	Posterior_Cingulate	18	34	1607, 1106
127, 307	DVT	Dorsal_Transitional_Visual_Area	Posterior_Cingulate	18	142	1806, 2176
128, 308	PCV	PreCuneus_Visual_Area	Posterior_Cingulate	18	27	2245, 2416
129, 309	POS1	Parieto-Occipital_Sulcus_Area_1	Posterior_Cingulate	18	31	2531, 2727

130, 310	POS2	Parieto-Occipital_Sulcus_Area_2	Posterior_Cingulate	18	15	3261, 3093
131, 311	ProS	ProStriate_Area	Posterior_Cingulate	18	121	1222, 1055
132, 312	RSC	RetroSplenial_Complex	Posterior_Cingulate	18	14	2830, 3067
133, 313	v23ab	Area_ventral_23_a+b	Posterior_Cingulate	18	33	916, 1089
134, 314	10r	Area_10r	AntCing_MedPFC	19	65	1589, 1053
135, 315	10v	Area_10v	AntCing_MedPFC	19	88	3906, 2667
136, 316	25	Area_25	AntCing_MedPFC	19	164	1911, 2135
137, 317	33pr	Area_33_prime	AntCing_MedPFC	19	58	1354, 1316
138, 318	8BM	Area_8BM	AntCing_MedPFC	19	63	3122, 3436
139, 319	9m	Area_9_Middle	AntCing_MedPFC	19	69	6338, 5881
140, 320	a24	Area_a24	AntCing_MedPFC	19	61	2085, 2152
141, 321	a24pr	Anterior_24_prime	AntCing_MedPFC	19	59	1095, 1474
142, 322	a32pr	Area_anterior_32_prime	AntCing_MedPFC	19	179	1759, 1118
143, 323	d32	Area_dorsal_32	AntCing_MedPFC	19	62	2228, 2374
144, 324	p24	Area_posterior_24	AntCing_MedPFC	19	180	2394, 2442
145, 325	p24pr	Area_Posterior_24_prime	AntCing_MedPFC	19	57	1422, 1724
146, 326	p32	Area_p32	AntCing_MedPFC	19	64	1180, 1765
147, 327	p32pr	Area_p32_prime	AntCing_MedPFC	19	60	1569, 1305
148, 328	pOFC	Posterior_OFC_Complex	AntCing_MedPFC	19	166	2486, 2836
149, 329	s32	Area_s32	AntCing_MedPFC	19	165	604, 1015
150, 330	10d	Area_10d	OrbPolaFrontal	20	72	3644, 3096
151, 331	10pp	Polar_10p	OrbPolaFrontal	20	90	1997, 2487
152, 332	11l	Area_11l	OrbPolaFrontal	20	91	3531, 3793
153, 333	13l	Area_13l	OrbPolaFrontal	20	92	2429, 1757
154, 334	47m	Area_47m	OrbPolaFrontal	20	66	799, 781
155, 335	47s	Area_47s	OrbPolaFrontal	20	94	2795, 3080
156, 336	a10p	Area_anterior_10p	OrbPolaFrontal	20	89	1964, 1748
157, 337	OFC	Orbital_Frontal_Complex	OrbPolaFrontal	20	93	4560, 5232
158, 338	p10p	Area_posterior_10p	OrbPolaFrontal	20	170	2116, 2365
159, 339	44	Area_44	Inferior_Frontal	21	74	2435, 2589
160, 340	45	Area_45	Inferior_Frontal	21	75	3762, 2962
161, 341	47l	Area_47l_(47_lateral)	Inferior_Frontal	21	76	2527, 2592
162, 342	a47r	Area_anterior_47r	Inferior_Frontal	21	77	4167, 3763
163, 343	IFJa	Area_IFJa	Inferior_Frontal	21	79	1513, 1405
164, 344	IFJp	Area_IFJp	Inferior_Frontal	21	80	960, 740
165, 345	IFSa	Area_IFSa	Inferior_Frontal	21	82	2057, 2641
166, 346	IFSp	Area_IFSp	Inferior_Frontal	21	81	1589, 1730
167, 347	p47r	Area_posterior_47r	Inferior_Frontal	21	171	2133, 1761
168, 348	46	Area_46	Dorsolateral_Prefrontal	22	84	4863, 4394
169, 349	8Ad	Area_8Ad	Dorsolateral_Prefrontal	22	68	3386, 3492
170, 350	8Av	Area_8Av	Dorsolateral_Prefrontal	22	67	4807, 5902
171, 351	8BL	Area_8B_Lateral	Dorsolateral_Prefrontal	22	70	3377, 4078
172, 352	8C	Area_8C	Dorsolateral_Prefrontal	22	73	4085, 3134
173, 353	9-46d	Area_9-46d	Dorsolateral_Prefrontal	22	86	4534, 4666
174, 354	9a	Area_9_anterior	Dorsolateral_Prefrontal	22	87	3706, 3048
175, 355	9p	Area_9_Posterior	Dorsolateral_Prefrontal	22	71	3426, 2488
176, 356	a9-46v	Area_anterior_9-46v	Dorsolateral_Prefrontal	22	85	3314, 2628

177, 357	i6-8	Inferior_6-8_Transitional_Area	Dorsolateral_Prefrontal	22	97	1764, 2418
178, 358	p9-46v	Area_posterior_9-46v	Dorsolateral_Prefrontal	22	83	2871, 4635
179, 359	s6-8	Superior_6-8_Transitional_Area	Dorsolateral_Prefrontal	22	98	1336, 2132
180, 360	SFL	Superior_Frontal_Language_Area	Dorsolateral_Prefrontal	22	26	3873, 3055

Column 1 (Reordered ID) shows the order in HCPex based on the HCP-MMP1\_UniqueRegionList.csv, as described in the Methods, of the 360 cortical regions originally defined by Glasser et al (2016). The names of the cortical divisions shown in column 4 come from the same .csv file. The sixth column shows the original order used by Glasser et al (2016). Abbreviations: L=left hemisphere, R=right. MT+\_Complex, MT+\_Complex\_and\_Neighboring\_Visual\_Areas; SomaSens\_Motor, Somatosensory\_and\_Motor; ParaCentral\_MidCing, Paracentral\_Lobular\_and\_Mid\_Cingulate; Insula\_FrontalOperc, Insular\_and\_Frontal\_Opercular; TPO, Temporo-Parieto-Occipital\_Junction; AntCing\_MedPFC, Anterior\_Cingulate\_and\_Medial\_Prefrontal; OrbPolaFrontal, Orbital\_and\_Polar\_Frontal.

Fig. S1-1. Example coronal slices showing regions defined in the HCPex atlas and added subcortical regions (Huang et al., 2022). The abbreviations are as in Table S1. The y values for the coronal slices are in MNI coordinates.




Fig. S1-2. Example coronal slices showing regions defined in the HCPex atlas and added subcortical regions (Huang et al., 2022). The abbreviations are as in Table S1. The y values for the coronal slices are in MNI coordinates.




Fig. S1-3. Example coronal slices showing regions defined in the HCPex atlas and added subcortical regions (Huang et al., 2022). The abbreviations are as in Table S1. The y values for the coronal slices are in MNI coordinates.





Fig. S1-4. Example coronal slices showing regions defined in the HCPex atlas and added subcortical regions (Huang et al., 2022). The abbreviations are as in Table S1. The y values for the coronal slices are in MNI coordinates.






Fig. S1-5. Anatomical regions of the human visual and other cortical regions. Regions are shown as defined in the HCP-MMP atlas (Glasser et al., 2016), and in its extended version HCPex (Huang et al., 2022). The regions are shown on images of the human brain without the sulci expanded to show which cortical HCP-MMP regions are normally visible, for comparison with Figs. 6-10. (The ICBM153 MNI T1 image was used to prepare this figure.) Abbreviations are provided in Table S1.





Fig. S1-6. Regions in the Human Connectome Project Multimodal Parcellation atlas (HCP-MMP) (Glasser et al., 2016) and its extended version HCPex (Huang et al., 2022) to show the cortical regions. The regions are shown on images of the human brain with the sulci expanded sufficiently to allow the regions within the sulci to be shown. Abbreviations are provided in Table S1. For comparison, a version of this diagram without the sulci expanded is provided in Fig. S1-5. (HCPBrainMaster4bLC.eps)



**Fig. S2. The timecourse of the MEG signal in different HCP-MMP ventral visual stream cortical regions.** The onset of the face or tool visual stimuli was at time 0. The amplitude of the MEG signal for the the face, tool, 0-back and 2-back conditions was averaged across 83 participants. V1, V2, and V4 are early visual cortical regions. V8 is just before the fusiform face cortex, FFC. The ventral visual complex VVC probably receives from V8, is medial to the FFC (Fig. 1), is part of a route for visual information from visual cortical regions to reach the hippocampus, and is part of / leads to the parahippocampal scene (or place) area (Rolls et al., 2023a). TE1p is an example of an inferior temporal cortex visual region. TE1a is an example of an anterior inferior temporal cortex region involved in semantic representations (Rolls et al., 2022a, 2023a). The results are for the left hemisphere. The duration of the response may be short because fixation on the stimuli may be for only a short time period. (After Rolls et al., 2023c) (VisMEGtimecourse31.eps).

---

## References

- Deco, G., Cruzat, J., Cabral, J., Tagliazucchi, E., Laufs, H., Logothetis, N.K., Kringelbach, M.L., 2019. Awakening: Predicting external stimulation to force transitions between different brain states. *Proceedings of the National Academy of Sciences* 116, 18088-18097.
- Deco, G., Lynn, C.W., Sanz Perl, Y., Kringelbach, M.L., 2023. Violations of the fluctuation-dissipation theorem reveal distinct nonequilibrium dynamics of brain states. *Phys Rev E* 108, 064410.
- Glasser, M.F., Coalson, T.S., Robinson, E.C., Hacker, C.D., Harwell, J., Yacoub, E., Ugurbil, K., Andersson, J., Beckmann, C.F., Jenkinson, M., Smith, S.M., Van Essen, D.C., 2016. A multi-modal parcellation of human cerebral cortex. *Nature* 536, 171-178.
- Huang, C.-C., Rolls, E.T., Hsu, C.-C.H., Feng, J., Lin, C.-P., 2021. Extensive cortical connectivity of the human hippocampal memory system: beyond the "what" and "where" dual-stream model. *Cereb. Cortex* 31, 4652-4669.
- Huang, C.C., Rolls, E.T., Feng, J., Lin, C.P., 2022. An extended Human Connectome Project multimodal parcellation atlas of the human cortex and subcortical areas. *Brain Struct Funct* 227, 763-778.
- Larson-Prior, L.J., Oostenveld, R., Della Penna, S., Michalareas, G., Prior, F., Babajani-Feremi, A., Schoffelen, J.M., Marzetti, L., de Pasquale, F., Di Pompeo, F., Stout, J., Woolrich, M., Luo, Q., Bucholz, R., Fries, P., Pizzella, V., Romani, G.L., Corbetta, M., Snyder, A.Z., Consortium, W.U.-M.H., 2013. Adding dynamics to the Human Connectome Project with MEG. *Neuroimage* 80, 190-201.
- Ma, Q., Rolls, E.T., Huang, C.-C., Cheng, W., Feng, J., 2022. Extensive cortical functional connectivity of the human hippocampal memory system. *Cortex* 147, 83-101.
- Markov, N.T., Ercsey-Ravasz, M., Van Essen, D.C., Knoblauch, K., Toroczkai, Z., Kennedy, H., 2013. Cortical high-density counterstream architectures. *Science* 342, 1238406.
- Markov, N.T., Kennedy, H., 2013. The importance of being hierarchical. *Curr. Opin. Neurobiol.* 23, 187-194.
- Markov, N.T., Vezoli, J., Chameau, P., Falchier, A., Quilodran, R., Huissoud, C., Lamy, C., Misery, P., Giroud, P., Ullman, S., Barone, P., Dehay, C., Knoblauch, K., Kennedy, H., 2014. Anatomy of hierarchy: feedforward and feedback pathways in macaque visual cortex. *J. Comp. Neurol.* 522, 225-259.
- Rolls, E.T., 2016. *Cerebral Cortex: Principles of Operation*. Oxford University Press, Oxford.
- Rolls, E.T., Deco, G., Huang, C.-C., Feng, J., 2022a. The human language effective connectome. *Neuroimage* 258, 119352.
- Rolls, E.T., Deco, G., Huang, C.C., Feng, J., 2022b. The effective connectivity of the human hippocampal memory system. *Cereb. Cortex* 32, 3706-3725.
- Rolls, E.T., 2023. *Brain Computations and Connectivity*. Oxford University Press, Open Access, Oxford.
- Rolls, E.T., Deco, G., Huang, C.-C., Feng, J., 2023a. Multiple cortical visual streams in humans. *Cereb. Cortex* 33, 3319-3349.
- Rolls, E.T., Deco, G., Huang, C.C., Feng, J., 2023b. The human posterior parietal cortex: effective connectome, and its relation to function. *Cereb. Cortex* 33, 3142-3170.
- Rolls, E.T., Deco, G., Zhang, Y., Feng, J., 2023c. Hierarchical organization of the human ventral visual streams revealed with magnetoencephalography. *Cereb. Cortex* 33, 10686-10701.
- Rolls, E.T., Wirth, S., Deco, G., Huang, C.-C., Feng, J., 2023d. The human posterior cingulate, retrosplenial and medial parietal cortex effective connectome, and implications for memory and navigation. *Hum. Brain Mapp.* 44, 629-655.